

Lipids and Lipid Metabolism

Vol. 1393, 1998



Cumulative Contents

Information for Contributors	vii	Molecular cloning of the bile salt-dependent lipase of ferret lactating mammary gland: an overview of func-	
Review		tional residues V. Sbarra, N. Bruneau, E. Mas, M. Hamosh, D.	
The GM2 activator protein, its roles as a co-factor in GM2 hydrolysis and as a general glycolipid transport protein D.J. Mahuran (Canada)	1	Lombardo and P. Hamosh (France, USA) Activation of CTP:phosphocholine cytidylyltransferase by hypochlorite-oxidized phosphatidylcholines A.E. Drobnies, E.A. Venczel and R.B. Cornell	
D.S. Manaran (Canada)		(Canada)	90
Regular papers		Recombinant locust apolipophorin III: characterization and NMR spectroscopy	
Cholesterol affects African swine fever virus infection C. Bernardes, A. António, M.C. Pedroso de Lima and		P.M.M. Weers, J. Wang, D.J. Van der Horst, C.M. Kay, B.D. Sykes and R.O. Ryan (Canada, Nether-	
M.L. Valdeira (Portugal)	19	lands)	99
Stimulatory effects of lipoprotein(a) and low-density lip- oprotein on human umbilical vein endothelial cell mi- gration and proliferation are partially mediated by fibroblast growth factor-2		Cloning of conserved genes from Zymomonas mobilis and Bradyrhizobium japonicum that function in the biosynthesis of hopanoid lipids M. Perzl, I.G. Reipen, S. Schmitz, K. Poralla, H.	
Y. Yano, M. Seishima, Y. Tokoro and A. Noma		Sahm, G.A. Sprenger and E.L. Kannenberg (Germany,	
(Japan)	26	USA)	108
2,6-Dimethylheptanoyl-CoA is a specific substrate for	20	Endogenous lipase activity in Caco-2 cells	100
long-chain acyl-CoA dehydrogenase (LCAD): evidence for a major role of LCAD in branched-chain		J.H. Spalinger, E.G. Seidman, D. Ménard and E. Levy (Canada)	119
fatty acid oxidation R.J.A. Wanders, S. Denis, J.P.N. Ruiter, L. IJlst and		Characterization of triacylglycerol biosynthesis in subcel- lular fractions of an oleaginous fungus, Mortierella	
G. Dacremont (Belgium, The Netherlands)	35	ramanniana var. angulispora	
Effect of glutathione deficiency on the adipocyte sn-glyc-	33	M.G. Pillai, M. Certik, T. Nakahara and Y. Kamisaka	
erol-3-phosphate acyltransferase		(Japan)	128
S.C. Jamdar, E. Soo and W.F. Cao (USA)	41	The native molecular size of alkyl-dihydroxyacetone-	120
Characteristics of L-carnitine transport by lactating rat mammary tissue	**	phosphate synthase and dihydroxyacetonephosphate acyltransferase	
D.B. Shennan, A. Grant, R.R. Ramsay, C. Burns and		J. Biermann, K. Schoonderwoerd, M.L. Hom, L.H.	
V.A. Zammit (UK)	49	Luthjens and H. Van den Bosch (The Netherlands)	137
Novel glycine containing glucolipids from the alkane using bacterium Alcanivorax borkumensis WR. Abraham, H. Meyer and M. Yakimov (Ger-		Use of deuterium oxide to measure de novo fatty acid synthesis in normal subjects consuming different diet- ary fatty acid composition	
many)	57	S.D. Konrad, S.L. Cook, Y.K. Goh, M.A. French and	
Inhibition of cholesterol esterification by DuP 128 decreases hepatic apolipoprotein B secretion in vivo: effect of dietary fat and cholesterol		M.T. Clandinin (Canada)	143
J.R. Burnett, L.J. Wilcox, D.E. Telford, S.J. Klein-			
stiver, P.H.R. Barrett and M.W. Huff (Canada, USA)	63		

Mechanism of action of probucol on cholesteryl ester		Short sequence papers	
transfer protein (CETP) mRNA in a Chinese hamster ovary cell line that had been stably transfected with a human CETP gene J. Ou, K. Saku, S. Jimi, T. Ohta, B. Zhang, H.J.	1	Molecular cloning and characterization of a cDNA encoding mouse phospholipase C-β3 S. Wang, Y. Zhou, A. Lukinius, K. Öberg, B. Skogseid	
Pownall, Y. Shimada, Y. Tsujita and K. Arakawa		and A. Gobl (Sweden)	173
(Japan, USA) Novel diglycosyldiacylglycerol from the Gram-negative bacterium Deleya marina		Molecular cloning of mouse choline kinase and choline/ ethanolamine kinase: their sequence comparison to the respective rat homologs	
H. Yagi and A. Maruyama (Japan)	161	C. Aoyama, K. Nakashima and K. Ishidate (Japan)	179
Rapid report			
Rat carnitine palmitoyltransferase Iβ mRNA splicing isoforms			
GS. Yu, YC. Lu and T. Gulick (USA)	166		
Subsection – Lipids	in Sign	alling and Recognition	
Regular papers	1	An evaluation of the marmoset <i>Callithrix jacchus</i> (sagüi) as an experimental model for the dyslipoproteinemia	
Cross-talk between β-adrenergic and metabotropic glu-		of human Schistosomiasis mansoni	
tamate receptors in rat C6 glioma cells		V.L.M. Lima, V.L.M. Sena, B. Stewart, J.S. Owen	
M. Martín, J. Luis Albasanz, M. Fernández and		and P.J. Dolphin (Brazil, Canada, UK)	235
Manuel Ros (Spain)	186 I	L-13 increases the cPLA2 gene and protein expression	
Increase in free linolenic and linoleic acids associated with phospholipase D-mediated hydrolysis of phospholipids in wounded castor bean leaves		and the mobilization of arachidonic acid during an inflammatory process in mouse peritoneal macrophages	
S.B. Ryu and X. Wang (USA)	193	A. Rey, C. M'Rini, P. Sozzani, Y. Lamboeuf, M.	
Reactive oxygen species enhances the induction of indu-		Beraud, D. Caput, P. Ferrara and B. Pipy (France)	244
cible nitric oxide synthase by sphingomyelinase in RAW264.7 cells Y. Hatanaka, J. Fujii, T. Fukutomi, T. Watanabe, W.	N	Mechanisms that account for the selective release of arachidonic acid from intact cells by secretory phospholipase A ₂	
Che, Y. Sanada, Y. Igarashi and N. Taniguchi		A.N. Fonteh, J.M. Samet, M. Surette, W. Reed and	
(Japan)	203	F.H. Chilton (USA)	253
Agonist-stimulated glycerophospholipid acyl turnover in	A	A phospholipase A ₂ is transiently synthesized during	
alveolar macrophages		seed germination and localized to lipid bodies	
N.V.C. Ralston, P.C. Schmid and H.H.O. Schmid	211	C. May, R. Preisig-Müller, M. Höhne, P. Gnau and	267
(USA) Corrigendum to 'Apolipoprotein-mediated cellular cho-	211	H. Kindl (Germany)	267
lesterol efflux'		selective uptake of cholesteryl esters from high-density lipoprotein-derived LpA-I and LpA-I:A-II particles	
S. Yokoyama (Japan)	222	by hepatic cells in culture	
S. Tokoyama (vapan)		F. Rinninger, T. Kaiser, E. Windler, H. Greten, JC.	
Information for Contributors	vii	Fruchart and G. Castro (France, Germany)	277
	N	Manganese-stimulated phosphatidylinositol headgroup	
Regular papers		exchange in rat liver microsomes	
		R.F. Irvine (UK)	292
The role of dietary choline in the beneficial effects of	N	Methylene-interrupted double bond in polyunsaturated	
lecithin on the secretion of biliary lipids in rats		fatty acid is an essential structure for metabolism	
MJ. LeBlanc, V. Gavino, A. Pérea, I.M. Yousef, E.	222	by the fatty acid chain elongation system of rat liver	
Lévy and B. Tuchweber (Canada)	223	T. Tanaka, T. Hattori, M. Kouchi, K. Hirano and K.	

Satouchi (Japan)

299

An intracellular role for pancreatic bile salt-dependent lipase: evidence for modification of lipid turnover in transfected CHO cells		Catabolic fate of dietary trilinoleoylglycerol hydroperoxides in rat gastrointestines K. Kanazawa and H. Ashida (Japan)	330
J. Le Petit-Thevenin, N. Bruneau, O. Nobili, D.		Dietary hydroperoxides of linoleic acid decompose to	
Lombardo and A. Vérine (France)	307	aldehydes in stomach before being absorbed into	
Homocysteine stimulates the production and secretion of		the body	
cholesterol in hepatic cells		K. Kanazawa and H. Ashida (Japan)	349
K. O, E.G. Lynn, Y.H. Chung, Y.L. Siow, R.Y.K.			
Man and P.C. Choy (Canada, China)	317	Cumulative Contents, Vol. 1393	363
Enhancement of phospholipase D activity following ba-			
culovirus and adenovirus infection in Sf9 and COS-7 cells		Author Index	366
A. Höer, T. Schöneberg, C. Harteneck, C. Cetindag			
and E. Oberdisse (Germany)	325		

